

Water Management Tools for YOU!!



the
N E X T
GENERATION



Tip Tank Waterers

SPI[™]
livestock
Waterers



TIPTANK4,NG



TIPTANKEZ



TIPTANKL



TIPTANKXL

the
**N E X T
GENERATION**



NEW!

— no tools required —

Part Specifications

Dimensions:

TIPTANK4,NG	Width: 24" (61 cm);	Length: 58" (147.3 cm);	Height: 24" (61 cm)
TIPTANKEZ	Width: 24" (61 cm);	Length: 58" (147.3 cm);	Height: 24" (61 cm)
TIPTANKL	Width: 24 1/2" (62.2 cm);	Length: 53 1/2" (136 cm);	Height: 14" (35.6 cm)
TIPTANKXL	Width: 24 1/2" (62.2 cm);	Length: 86" (2.2 m);	Height: 19 1/4" (48.9 cm)

Weight:

TIPTANK4,NG	85 lbs. (38.6 kg)	Drinking Height: (if floor mounted) 21" (53.3 cm)
TIPTANKEZ	75 lbs. (34 kg)	21" (53.3 cm)
TIPTANKL	96 lbs. (43.5 kg)	24" (61 cm)
TIPTANKXL	161 lbs. (73 kg)	23 1/2" (60 cm)

Capacity:

TIPTANK4,NG	80 Litres; 20 U.S. Gal.; 18 Imp. Gal.
TIPTANKEZ	80 Litres; 20 U.S. Gal.; 18 Imp. Gal.
TIPTANKL	142 Litres; 37 U.S. Gal.; 31 Imp. Gal.
TIPTANKXL	265 Litres; 70 U.S. Gal.; 58 Imp. Gal.

Maximum Usage:

TIPTANK4,NG	75 Beef; 40 Dairy; 40 Horses; 150 Sheep
TIPTANKEZ	75 Beef; 40 Dairy; 40 Horses; 150 Sheep
TIPTANKL	100 Beef; 60 Dairy
TIPTANKXL	250 Beef; 85 Dairy

Available Options: Constant Flow Kit

Water Management Tools for YOU!

Today's farmer is faced with time management decisions all day long. Given a choice between draining and cleaning a stock tank (15 minutes or more) or cleaning an **SPI Tip Tank** (done in 30 seconds) the answer is easy. Professional farm managers or hobby farmers want to provide the best possible water for their livestock. Clean fresh water is your cheapest source of feed.

Unique Features:

- heavy-duty hot dipped galvanized mounting hardware
- rounded corners to provide safety for livestock
- non siphoning approved
- molded polyethylene construction creating a durable, impact resistant and rust free drinker
- the convenience that any of the units can be floor or wall mounted
- the float and valve system is located at the center back of the tank providing livestock with the optimum accessibility to the water
- rounded smooth basins are easy to clean as dirt and feed do not collect in the corners

Next Generation Additional Features:

- no tools required for service
- quick release stainless steel hatch for ease of maintenance
- hatch design provides valve maximum protection from animals
- large radiused surfaces for added safety
- for TIPTANK4,NG built in tubular frame encased within radiused rim for maximum strength and durability



tipped position shown
TIPTANKEZ

the
**N E X T
GENERATION**

Valve Features:

- 300% faster flow rate than our original valve system
- elimination of breakable valve parts
- larger float, more force for positive shutoff
- brass construction
- operates on a wide range of water pressures

'D'-Clip Features:

- no tools required to remove lid
- no crossed/stripped thread failures
- quickly replaced if damaged
- commonly available at farm supply stores



closeup view of locking hatch pin



5 Year Warranty
(Some Restrictions Apply)

SPI TM livestock Waterers

Energy Free Waterers



351NG



352NG



354NG

Note: not all products shown in true proportional size to each other

Electric Waterers



EE10



EE50



EE100



VS20E

Value Series



VS10



VS20



VS30

Tip Tanks




TIPTANK4,NG



TIPTANKEZ



TIPTANKL



TIPTANKXL

Troughs



BIGC

Stock Tanks



SPI Industries Inc., Shallow Lake, Ontario N0H 2K0
 Tel: (519)935-2211 or (800)269-6533 Fax: (519)935-2174
 Email: spi@spioplastics.com Internet: www.spioplastics.com

Copyright © 2004-2006
 SPI Industries Inc. All rights reserved.
 Printed in Canada.

5 Year Warranty
 (Some Restrictions Apply)